

Technical details



Order no.	Product type	Dimensions H x W x D (mm)
34.00 22 09	IGSExB 34010	250 x 200 x 97
35.00 22 09	IGSExe 35010	250 x 200 x 97
36.00 22 09	IGSExi 36010	250 x 200 x 97

		1,5	2,5	4	6	10	16	25	35	50	70	95
		76	60	50	38	24	13	10	10			
		2	2	2	2	2	1	1	1			
x A	6											
	10	37	67									
	16	14	25	41								
	20	6	15	26	44							
	25		7	16	26							
	35			5	12	24						
	50					10	20	64				
	63					3	11	21				
	80						4	11	19			
	100							5	10			
	125								4			
	160											
	200											
	225											
	250											
	315											
400												
500												

Maximum number of cable glands

M	Side	
	A/B	C/D
12	38	36
16	20	17
20	12	8
25	5	6
32	3	
40	3	
50		
63		
75		
85		

DIN rail	TS 35
Length (mm)	190
max. fitting length (mm)	152
External earth (mm ²)	16



Order no.	Product type	Dimensions H x W x D (mm)
34.00 22 15	IGSExB 34015	250 x 200 x 157
35.00 22 15	IGSExe 35015	250 x 200 x 157
36.00 22 15	IGSExi 36015	250 x 200 x 157

		1,5	2,5	4	6	10	16	25	35	50	70	95
		76	60	50	38	24	13	10	10			
		2	2	2	2	2	1	1	1			
x A	6											
	10	47	86									
	16	18	32	53								
	20	7	20	34	57							
	25		9	21	34							
	35			6	16	31						
	50				2	12	25	82				
	63					4	14	28				
	80						5	15	25			
	100							7	13			
	125								6			
	160											
	200											
	225											
	250											
	315											
400												
500												

Maximum number of cable glands

M	Side	
	A/B	C/D
12	76	75
16	35	36
20	30	30
25	12	15
32	8	8
40	6	5
50	3	3
63	3	3
75		
85		

DIN rail	TS 35
Length (mm)	190
max. fitting length (mm)	152
External earth (mm ²)	16



Stainless Steel Cabinets Ex IGS


Technical details



Order no.	Product type	Dimensions H x W x D (mm)
34.00 32 09	IGSExB 34020	250 x 350 x 97
35.00 32 09	IGSExe 35020	250 x 350 x 97
36.00 32 09	IGSExi 36020	250 x 350 x 97

		1,5	2,5	4	6	10	16	25	35	50	70	95
		150	125	100	74	36	30	20	20			
		2	2	2	2	1	1	1	1			
x A	6											
	10	42	77									
	16	16	29	48								
	20	7	18	30	51							
	25		8	19	31							
	35			6	14	27						
	50				2	11	23	74				
	63					4	13	25				
	80						5	13	22			
	100							6	12			
	125								5			
	160											
	200											
	225											
	250											
	315											
	400											
500												

Maximum number of cable glands



M	Side	
	A/B	C/D
12	74	36
16	24	17
20	24	8
25	11	6
32	7	
40	5	
50		
63		
75		
85		


DIN rail	TS 35
Length (mm)	340
max. fitting length (mm)	302
External earth (mm ²)	16



Order no.	Product type	Dimensions H x W x D (mm)
34.00 33 16	IGSExB 34025	300 x 300 x 167
35.00 33 16	IGSExe 35025	300 x 300 x 167
36.00 33 16	IGSExi 36025	300 x 300 x 167

		1,5	2,5	4	6	10	16	25	35	50	70	95
		126	102	87	63	51	40	16	16	12		
		2	2	2	2	2	2	1	1	1		
x A	6											
	10	55	100									
	16	21	38	62								
	20	9	23	39	67							
	25		11	24	40							
	35			7	18	36						
	50				2	15	30	96				
	63					5	16	32				
	80						6	17	29			
	100							8	16	29		
	125								7	15		
	160									6		
	200											
	225											
	250											
	315											
	400											
500												

Maximum number of cable glands



M	Side	
	A/B	C/D
12	110	88
16	55	52
20	48	38
25	23	21
32	15	11
40	8	8
50	7	5
63	5	4
75		
85		

DIN rail	TS 35
Length (mm)	290
max. fitting length (mm)	252
External earth (mm ²)	25




Technical details



Order no.	Product type	Dimensions H x W x D (mm)
34.00 44 16	IGSExB 34030	380 x 380 x 167
35.00 44 16	IGSExe 35030	380 x 380 x 167
36.00 44 16	IGSExi 36030	380 x 380 x 167

	1,5	2,5	4	6	10	16	25	35	50	70	95	
	240	195	162	123	99	81	44	44	17	13	13	
	3	3	3	3	3	3	2	2	1	1	1	
 x A	6											
	10	62	113									
	16	24	43	71								
	20	10	26	45	75							
	25		13	28	45							
	35			8	21	41						
	50				3	16	34	109				
	63					6	19	36				
	80						7	19	33			
	100							9	18	33		
	125								8	17	32	
	160									7	15	26
	200										6	13
	225										2	8
	250											4
	315											
	400											
500												

Maximum number of cable glands



M	Side	
	A/B	C/D
12	160	140
16	70	56
20	60	48
25	27	27
32	21	14
40	12	10
50	9	6
63	7	5
75		
85		

DIN rail	TS 35
Length (mm)	370
max. fitting length (mm)	332
External earth (mm ²)	50



Order no.	Product type	Dimensions H x W x D (mm)
34.00 44 21	IGSExB 34035	380 x 380 x 217
35.00 44 21	IGSExe 35035	380 x 380 x 217
36.00 44 21	IGSExi 36035	380 x 380 x 217

	1,5	2,5	4	6	10	16	25	35	50	70	95	
	240	195	162	123	99	81	44	44	17	13	13	
	3	3	3	3	3	3	2	2	1	1	1	
 x A	6											
	10	71	130									
	16	27	49	81								
	20	11	30	51	86							
	25		15	32	52							
	35			10	24	46						
	50				3	19	38	124				
	63					6	21	42				
	80						9	22	38			
	100							10	20	38		
	125								9	20	37	
	160									8	17	30
	200										7	14
	225										2	9
	250											5
	315											
	400											
500												

Maximum number of cable glands



M	Side	
	A/B	C/D
12	220	200
16	98	84
20	84	72
25	45	36
32	28	21
40	18	14
50	12	9
63	9	8
75		
85		

DIN rail	TS 35
Length (mm)	370
max. fitting length (mm)	332
External earth (mm ²)	50



Stainless Steel Cabinets Ex IGS

Technical details



Order no.	Product type	Dimensions H x W x D (mm)
34.00 53 16	IGSExB 34040	300 x 500 x 167
35.00 53 16	IGSExe 35040	300 x 500 x 167
36.00 53 16	IGSExi 36040	300 x 500 x 167

		1,5	2,5	4	6	10	16	25	35	50	70	95											
		214	172	144	108	88	72	29	29	26	18	18											
		2	2	2	2	2	2	1	1	1	1	1											
x A	6	N																					
	10												60	109									
	16												23	41	68								
	20												10	25	43	72							
	25												12	27	43								
	35												8	20	39								
	50												3	16	32	105							
	63												5	18	35								
	80												7	19	32								
	100												9	17	32								
	125												7	17	31								
	160												6	14	25								
	200												6	12									
	225												2	7									
	250												4										
	315																						
	400																						
500																							

Maximum number of cable glands

M	Side	
	A/B	C/D
12	216	88
16	92	52
20	85	38
25	36	21
32	26	11
40	14	8
50	12	5
63	9	4
75		
85		

DIN rail	TS 35
Length (mm)	490
max. fitting length (mm)	452
External earth (mm ²)	50



Order no.	Product type	Dimensions H x W x D (mm)
34.00 63 16	IGSExB 34045	300 x 600 x 167
35.00 63 16	IGSExe 35045	300 x 600 x 167
36.00 63 16	IGSExi 36045	300 x 600 x 167

		1,5	2,5	4	6	10	16	25	35	50	70	95											
		260	210	176	134	106	90	36	36	27	22	22											
		2	2	2	2	2	2	1	1	1	1	1											
x A	6	N																					
	10												62	112									
	16												24	42	70								
	20												10	26	44	75							
	25												13	27	45								
	35												8	21	40								
	50												3	16	33	108							
	63												6	18	36								
	80												7	19	33								
	100												9	18	33								
	125												8	17	32								
	160												7	15	26								
	200												6	12									
	225												2	8									
	250												4										
	315																						
	400																						
500																							

Maximum number of cable glands

M	Side	
	A/B	C/D
12	231	88
16	115	52
20	100	38
25	45	21
32	33	11
40	17	8
50	16	5
63	11	4
75		
85		

DIN rail	TS 35
Length (mm)	590
max. fitting length (mm)	551,5
External earth (mm ²)	50



Stainless Steel Cabinets Ex IGS


Technical details



Order no.	Product type	Dimensions H x W x D (mm)
34.00 64 21	IGSExB 34050	380 x 600 x 217
35.00 64 21	IGSExe 35050	380 x 600 x 217
36.00 64 21	IGSExi 36050	380 x 600 x 217

		1,5	2,5	4	6	10	16	25	35	50	70	95	
		393	318	267	201	162	135	72	72	27	22	22	
		3	3	3	3	3	3	2	2	1	1	1	
x A	6												
	10	78	142										
	16	30	53	88									
	20	12	33	56	94								
	25		16	35	56								
	35			11	26	51							
	50				4	21	42	136					
	63					7	23	46					
	80						9	24	42				
	100							11	22	41			
	125								10	22	40		
	160									8	19	33	
	200										7	16	
	225											3	10
	250												5
	315												
400													
500													

Maximum number of cable glands



M	Side	
	A/B	C/D
12	330	200
16	176	84
20	140	72
25	75	36
32	44	21
40	27	14
50	20	9
63	15	8
75		
85		

DIN rail	TS 35
Length (mm)	590
max. fitting length (mm)	551,5
External earth (mm ²)	50

